

AVW Technical Guide

Common Safety Mistakes in Stage Automation Systems

Author: Anton Woodward OBE CEng MInstMC FRSA

Website: www.avw.co.uk

Series: AVW Technical Guide

Edition: 1.0

1. Introduction

Stage automation systems allow complex and dynamic productions, but they also introduce significant safety challenges. Moving scenery, lifting systems, and automated platforms can present serious hazards if systems are not designed and operated correctly.

Many automation incidents are not caused by unusual technical failures but by **common design or operational mistakes**. Understanding these mistakes can help engineers and technicians avoid them and improve the safety of stage machinery.

This guide highlights several common safety issues encountered in stage automation systems.

2. Inadequate Risk Assessment

One of the most common safety problems occurs when systems are designed without a thorough risk assessment.

Without a proper evaluation of hazards, safety measures may be incomplete or incorrectly implemented.

A risk assessment should identify:

- potential hazards
- who may be exposed to the hazard
- the severity of possible injury
- appropriate safety measures

Risk assessment is fundamental to standards such as:

- BS EN 17206
 - EN ISO 13849
-

3. Poor Emergency Stop Design

Emergency stop systems are essential safety features, but they are sometimes poorly implemented.

Common problems include:

- insufficient number of E-Stop buttons
- poor placement of buttons
- unclear identification of emergency stop controls
- using E-Stops for routine machine stopping

Emergency stops should be **easy to reach, clearly marked, and tested regularly**.

4. Lack of Redundancy

Safety systems should not rely on a single component.

If a critical component fails, the safety function may be lost.

Examples of insufficient redundancy include:

- single-channel safety circuits
- single position sensors for motion limits
- lack of redundant braking systems

Modern safety systems often include **dual-channel circuits and redundant monitoring** to reduce the likelihood of dangerous failures.

5. Inadequate Motion Limits

Incorrectly configured motion limits can lead to collisions or unsafe movement.

Typical mistakes include:

- incorrect limit switch placement
- insufficient safety margins
- reliance on software limits without hardware backup

Mechanical limits and independent safety monitoring should always be considered for critical motion systems.

6. Ignoring Load Conditions

Stage machinery is often designed to move large loads, but the effects of dynamic loads are sometimes underestimated.

Examples include:

- sudden acceleration or deceleration
- uneven loading of platforms
- moving scenery with shifting centre of gravity

Load monitoring and appropriate mechanical design are essential for safe operation.

7. Over-Complex Control Systems

Automation systems can become overly complex, especially in large productions.

Excessively complex control systems may create:

- difficult troubleshooting
- operator confusion
- increased risk of configuration errors

Where possible, safety systems should remain **clear, predictable, and well documented**.

8. Poor Operator Training

Even well-designed systems can become unsafe if operators are not properly trained.

Operators should understand:

- how automation systems function
- how to recognise abnormal behaviour
- when to activate emergency stop systems
- correct restart procedures

Training is a critical component of safe automation operation.

9. Inadequate Maintenance

Safety systems require regular inspection and testing.

Common maintenance issues include:

- worn mechanical components
- poorly maintained braking systems
- failed sensors or switches
- untested emergency stop circuits

Routine maintenance helps ensure that safety systems remain reliable over time.

10. Practical Takeaways

Many stage automation incidents can be prevented by avoiding common safety mistakes.

Key points include:

- always perform a thorough risk assessment
- design reliable emergency stop systems
- incorporate redundancy into safety systems
- verify motion limits and load conditions
- ensure operators are properly trained
- maintain equipment regularly

By following these principles, engineers and technicians can significantly reduce risks associated with stage automation systems.

About the Author

Anton Woodward works in theatre engineering and stage automation systems.

More technical resources and safety guides are available at:

www.avw.co.uk